



BioSonic®
Ultrasonic Cleaning System

Ultrasonic Cleaning

- highly effective
- reaches into minute crevices
- instruments stay sharp and in shape

coltène 
whaledent®


BioSonic®

– an essential part of your Infection Control System

Ultrasonic cleaning is a process created by high frequency soundwaves. The soundwaves create high energy cavitation. During cavitation millions of tiny bubbles form and then implode, releasing enormous amounts of energy and shock waves. This powerful scouring action reaches into minute crevices which cannot be reached by manual scrubbing. The combination of energy and specially formulated solutions make ultrasonic cleaning the most effective method for removing gross and microscopic debris.

BioSonic® is a complete ultrasonic cleaning system which consists of three different cleaner unit sizes, a full line of cleaning solutions and unit accessories which provide you with the flexibility to efficiently clean and disinfect instruments, prostheses and other items.

BioSonic® units feature unique product design and optimize time and safety in the office or laboratory



Gentle but effective cleaning

- instruments get cleaned thoroughly
- but stay in shape and sharp even after frequent cleaning cycles

Quiet performance

- closed lid operation
- plastic housing

User safety

- built in drain with extra long drain tube for safe disposal of contaminated solutions (UC100XD and UC300)
- raised ridges inside baskets for safe removal of instruments

Long lasting attractive appearance

- wear-resistant plastic housing which will not stain or dent

BioSonic® UC50DB

Technical Information	
Tank capacity	3.2 liters
Fill capacity	2.0 liters
Overall Dimensions (l x w x h)	27.3 x 21.9 x 20.3 cm
Tank Dimensions (l x w x d)	19.7 x 14.6 x 10.5 cm
Output	50 watts
Operating Frequencies	53 kHz



It's a small giant!

Small on the outside, big on the inside

- The compact BioSonic® UC50DB fits any work surface but its 2 litres capacity accommodates double ended instruments or two 600 ml beakers.

The FingerGuard™ plastic basket with metal bottom provides superior wave transmission and prevents dulling of instruments.



Convenient Chairside Placement

- The unique design of cover and housing minimizes noise and prevents the escape of airborne contaminants enabling chairside cleaning of patients' dental appliances using the beaker option.



BioSonic® ST16 Dental Soaking Tray


Technical Information

Tank capacity 0.47 liters
Dimensions 6.4 x 22.9 x 12.7 cm



The BioSonic® Instrument Soaking Tray is a sure way to reduce the risks associated with instrument handling prior to sterilization. Pre-soaking dental instruments prior to ultrasonic cleaning is the clinically approved method for effective infection control, while reducing tedious hand scrubbing.

- Compact design is ideal for operator
- Chemically resistant inner tray lifts out automatically when the lid is opened
- Contemporary design matches many office decors



Cleaning with cassettes

With the UC54 simultaneous cleaning of four UC70 cassettes is possible.



UC70
Casette holds
7 instruments

BioSonic® UC100XD

Technical Information	
Tank capacity	4.8 liters
Fill capacity	3.8 liters
Overall Dimensions (l x w x h)	41.9 x 24.9 x 26.7 cm
Tank Dimensions (l x w x d)	28.6 x 14.3 x 12.7 cm
Output	100 watts
Operating Frequencies	55 kHz



Largest tank volume in its class

UC100XD has up to 1/3 more capacity for instruments than other ultrasonic cleaners in its class.



Multitasking

Now your assistant can ultrasonically clean instruments while your hygienist cleans prostheses.



Multi Beaker

Multiple beaker processing capacities enables to clean items with individual solutions at the same time.




Borosilicate Beaker

The 600 ml beakers are made of chemically resistant borosilicate glass. They can be used for routine mixing or measuring of most solvents, acids and bases. Borosilicate Beakers are highly resistant to breakage due to heating or chemical attack.

Cross Flow Baskets

- Enhanced Instrument Cleaning
- 25% Deeper
- Easy Lift-out Handles




UC151XD
Full Size Basket



UC152XD
Three Quarter
Size Basket

Instrument Cassette & Rack



UC154XD
Cassette Rack



UC164XD
Cassette Rack
Hu-Friedy*

* Hu-Friedy is a registered trademark of Hu-Friedy Inc.

BioSonic® UC300

Technical Information	
Tank capacity	14.4 liters
Fill capacity	11 liters
Overall Dimensions (l x w x h)	48.2 x 30.5 x 31.1 cm
Tank Dimensions (l x w x d)	35.6 x 22.9 x 17.1 cm
Output	300 watts
Operating Frequencies	40 kHz



A large capacity cleaner for your practice



Greater cleaning efficiency

- Large basket allows you to clean 3 to 4 times as many instruments.
- Basket dividers facilitate sorting and minimize handling of instruments.
- Easily holds larger items (e.g. film processor rollers and articulators).



Clean instruments and prostheses - simultaneously

- Clean both your instruments and dental appliances - simultaneously!



Cycle large volumes of instruments

- Twin-baskets provide uninterrupted instrument processing.
- Clean two baskets of instruments as you process third basket for sterilization and fourth basket for pre-soak.



Cleaning with cassettes

- Special designed UC70 cassette holds double ended instruments and fits exactly in standard sterilizing bags.
- Cleaning with cassette prevents instruments from dulling.
- Economical: The UC322 basket holds up to 10 UC70 cassettes.

BioSonic® Solutions

The solution for your cleaning needs

MeterDose™ Bottles – accurate solution dosage

Dispense the exact amount needed. Simply squeeze the desired amount into the MeterDose™ measuring chamber; tilt and pour.



- No Waste
- No Spills
- No Mess
- Easy To Use
- Economical



Solution	Contents	Concentration to be used in the ultrasonic bath/diluted yield
UC30 Super Concentrate General Purpose	473 ml	Concentration 1.6% Diluted yield 29 liters
Indication	Items	Special notes
UC30 is a non-ionic detergent and is used for general cleaning. It removes most organic soils like blood, saliva and debris.	Instruments crowns, bridges, dentures and ultrasonic scaler tips.	Use as a carrier bath in ultrasonic tank. Can also be used as instrument pre-soak and carrier bath in tank when using beakers. After cleaning thoroughly clean with tap water.

NEW!



General Purpose Cleaner + Super Rust Inhibitor

Solution	Contents	Concentration to be used in the ultrasonic bath/diluted yield
UC31 General Purpose + Super Rust Inhibitor	Single Dose 20 x 15 ml	Concentration 0.4 % Diluted yield 76 liters
Indication	Items	Special notes
UC31 combines the proven cleaning action of a BioSonic® solution with corrosion protection in the ultrasonic bath. It's used for general cleaning.	Instruments crowns, bridges, burs, dentures and ultrasonic scaler tips.	Use as a carrier bath in ultrasonic tank. Can also be used as instrument pre-soak and carrier bath in tank when using beakers. After cleaning thoroughly clean with tap water.



Solution	Contents	Concentration to be used in the ultrasonic bath/diluted yield
UC32 Enzymatic Cleaner	236 ml	Concentration 0.8% Diluted yield 29 liters
Indication	Items	Special notes
UC32 combines the non-ionic detergency of the UC30 with enzymes that act to break down stubborn dirt particles. Effectively breaks down and loosens debris hardened onto instruments. Minimizes hand scrubbing.	Instruments, crowns, bridges, dentures and ultrasonic scaler tips.	Use as a carrier bath in ultrasonic tank. Can also be used as instrument pre-soak and carrier bath in tank when using beakers. After cleaning thoroughly clean with tap water.

BioSonic® Solutions

The solution for your cleaning needs



Solution	Contents	Concentration to be used in the ultrasonic bath/diluted yield
UC34 Plaster and Stone Remover	840 g	1 scoop (tbs) per 100 ml of solution. Diluted yield 11.4 liters
Indication	Items	Special notes
Concentrated powder for easy removal of plaster and stone. Built in scoop for measuring correct dosage.	Attachments, articulators, instruments, castings and items that can not be sandblasted.	Do not use with aluminium. Can also be used directly in ultrasonic tank. After cleaning thoroughly rinse with tap water. Replace after each use.



Solution	Contents	Concentration to be used in the ultrasonic bath/diluted yield
UC38 Germicidal Cleaner	236 ml	Concentration 0.8% Diluted yield 29 liters
Indication	Items	Special notes
Removes blood, debris, saliva and kills HIV virus and tuberculosis while it cleans instruments in the ultrasonic bath.	Instruments, crowns, bridges and ultrasonic scaler tips.	Do not clean dentures or plastics. Use as a carrier bath in ultrasonic tank. Can also be used as instrument pre-soak and carrier bath in tank when using beakers. After cleaning thoroughly clean with tap water.



Solution	Contents	Concentration to be used in the ultrasonic bath/diluted yield
UC39 Cement Remover	473 ml	Concentration 40.0% 32 uses
Indication	Items	Special notes
Cleaner with cement softener. Removal of temporary and permanent cements (including zinc-phosphate, polycarboxylate).	Crowns, veneers, brackets and instruments.	Do not use with aluminium. Do not use directly in ultrasonic tank. After cleaning thoroughly rinse with tap water.

BioSonic® Ultrasonic Cleaning System



Order Information

UC300

UC300 BioSonic® UC300 Ultrasonic Cleaner	
Tank Cover	1 pc.
Enzymatic Cleaner (UC 32)	1 pc.
Owner's guide	1 pc.

Accessories for UC300

UC310 Large FingerGuard™ Instrument Basket (incl. 5 basket section inserts)	1 pc.
UC311 Twin FingerGuard™ Instrument Basket (incl. 2 basket section inserts)	1 pc.
UC322 Cassette Rack for 10 × UC70	1 pc.
UC330 2-Beaker Positioning Cover	1 pc.
UC335 Basket Section Inserts	2 pcs.
UC340 Replacement Tank Cover	1 pc.
UC350 Replacement Drain Filter	3 pcs.
UC355 Replacement Drain Tube	1 pc.

Accessories for all units

ST16 Soaking Tray	1 pc.
UC70 Steri-Cassette for 7 Instruments	1 pc.
UCB1 Bur Block	1 pc.
UCB2 Basket for small parts	
UCB3 Bur Block + Basket for small parts	1 pc.
UC53 600 ml Beaker, Cover and Positioning Ring	1 pc.

UC100XD

UC100XD BioSonic® UC100XD Ultrasonic Cleaner	
Tank Cover	1 pc.
Enzymatic Cleaner (UC 32)	1 pc.
Owner's guide	1 pc.

Accessories for UC100XD

UC155XD Accessory Kit (3/4 FingerGuard™ Instrument Basket for UC100XD, 2 Beakers, Covers, Positioning Rings and 2 One-Beaker Positioning Racks)	
UC151XD Full Size FingerGuard™ Instrument Basket for UC100XD	1 pc.
UC152XD Three-Quarter FingerGuard™ Instrument Basket for UC100XD	1 pc.
UC153 1 Beaker Positioning Rack	1 pc.
UC154XD Cassette Rack for UC70 to be used with UC100XD (holds 4 cassettes)	1 pc.
UC164XD Cassette Rack for Hu-Friedy Space Saver Seven Cassettes (7 Cassettes)	1 pc.
UC156 Replacement Tank Cover	1 pc.
UC350 Replacement Drain Filter	3 pcs.
UC355 Replacement Drain Tube	1 pc.

UC50DB

UC50DB BioSonic® UC50DB Ultrasonic Cleaner	
Tank Cover	1 pc.
FingerGuard™ Instrument Basket	1 pc.
Owner's guide	1 pc.

Accessories for UC50DB

UC59 Accessory Kit (FingerGuard™ Instrument Basket, 600 ml Beaker, Cover and Positioning Ring, 1 Beaker Positioning Rack, Basket for small parts)	
UC58 Plastic FingerGuard™ Instrument Basket	
UC54 Cassette Rack for UC70 to be used with UC50DB (holds 4 cassettes)	1 pc.
UC153 1 Beaker Positioning Rack	1 pc.

BioSonic® Cleaning Solutions

UC30 Super Concentrate General Purpose Solution in MeterDose™ Bottle	473 ml
UC31 General Purpose + Super Rust Inhibitor Single Dose	20 × 15 ml
UC32 Enzymatic Cleaner MeterDose™ Bottle	236 ml
UC34 Plaster & Stone Remover Powder Concentrate in Jar	840 g
UC38 Germicidal Cleaner MeterDose™ Bottle	236 ml
UC39 Cement Remover MeterDose™ Bottle	473 ml

www.coltenewhaledent.com
© 2005 Coltène/Whaledent AG

Coltène/Whaledent AG
Feldwiesenstrasse 20
9450 Altstätten/Switzerland
Tel. +41 (0)71 757 53 00
Fax +41 (0)71 757 53 01
office@coltenewhaledent.ch

EU Representative:
Coltène/Whaledent GmbH + Co. KG
Raiffeisenstrasse 30
89129 Langenau/Germany
Tel. +49 (0)7345 805 0
Fax +49 (0)7345 805 201
productinfo@coltenewhaledent.de

Coltène/Whaledent Inc.
235 Ascot Parkway
Cuyahoga Falls, Ohio 44223/USA
Tel. +1 330 916 8800
Fax +1 330 916 7077
productinfo@coltenewhaledent.com

coltène
whaledent